

The Student Stress Scale

This stress assessment measures the amount of change, using Life Change Units, a person experienced and adjusted to in the previous 12 months. It was designed to predict the likelihood of disease and illness following exposure to stressful life events. Each life event is given a score that indicates the amount of readjustment a person has to make as a result of the event. Not all of the events in the scale are necessarily negative events.

The Student Stress Scale focuses on *events* that may occur in the life of a student to offer you a different perspective for evaluating stress. The Student Stress Scale is an adaptation for college students of the Life Events Scale developed originally by Holmes and Rahe. This popular stress assessment measured the amount of change, using Life Change Units, a person was required to adapt to in the previous year. It was designed to predict the likelihood of disease and illness following exposure to stressful life events. Each life event is given a score that indicates the amount of readjustment a person has to make as a result of change. Some studies have found that people with serious illnesses tend to have higher scores on similar assessments.

For each event that occurred in your life within the past year, record the corresponding score. If an event occurred more than once, multiply the score for that event by the number of times the event occurred and record that score. Total all the scores.

Life Event	Mean Value
1. Death of a close family member	100
2. Death of a close friend	73
3. Divorce of parents	65
4. Jail term	63
5. Major personal injury or illness	63
6. Marriage	58
7. Getting fired from a job	50
8. Failing an important course	47
9. Change in the health of a family member	45
10. Pregnancy	45
11. Sex problems	44
12. Serious argument with a close friend	40
13. Change in financial status	39
14. Change of academic major	39
15. Trouble with parents	39
16. New girlfriend or boyfriend	37
17. Increase in workload at school	37
18. Outstanding personal achievement	36

19. First quarter/semester in college	36
20. Change in living conditions	31
21. Serious argument with an instructor	30
22. Getting lower grades than expected	29
23. Change in sleeping habits	29
24. Change in social activities	29
25. Change in eating habits	28
26. Chronic car trouble	26
27. Change in number of family get-togethers	26
28. Too many missed classes	25
29. Changing colleges	24
30. Dropping more than one class	23
31. Minor traffic violations	20

Total Stress Score _____

Score Interpretation:

Researchers determined that if your total score is:

300 or more - statistically you stand an almost 80 percent chance of getting sick in the near future.

150 to 299 - you have a 50-50 chance of experiencing a serious health change within two years.

149 or less - you have about a 30 percent chance of a serious health change.

This scale indicates that change in one's life requires an effort to adapt and then an effort to regain stability. Stress is a natural byproduct of adapting and then regaining internal homeostasis. Take note that this assessment considers only the events that occur, not individual perception of these events in life. Perception is a critical part of the ultimate stress experience, so while the Student Stress Scale has value in increasing awareness of potential stress-producing events, ultimately individual perception of the event is an important variable.

Adapted from Holmes-Rahe Social Readjustment Rating Scale. Journal of Psychosomatic Research, (1967). Vol. 11, pp. 213-218.

See the on-line version at: https://www.mindtools.com/pages/article/newTCS_82.htm

Avoiding the Clichés of Grief

Try open ended statements. Try to avoid telling people what they “should” or “should not” be feeling, doing, etc. Do not assume to know what someone is going through or experiencing.

1. *Cliché:* “You must be strong for your children (spouse, relatives, friends, etc).”

Instead, try: Why not share your feelings with your children? Perhaps you can lean on one another and help support each other.

2. *Cliché:* “You’ve got to get hold of yourself.”

Instead, try: “It must be so hard to keep going when you’re hurting so much.”

3. *Cliché:* “You are holding up so well.”

Instead, try: “Would it help to talk about how you’re feeling?”

4. *Cliché:* “Time will heal.”

Instead, try: “You must feel as if this pain will never end.”

5. *Cliché:* “You’re young, and you will be able to make a new life for yourself.”

Instead, try: “You must miss your loved one and the life you had together; I do, too.”

What to Say

I’m sorry.

I’m sad for you.

How are you doing with all this?

I don’t know why it happened.

What can I do for you?

I’m here and I want to listen.

Please tell me what you are feeling.

This must be hard for you.

What’s the hardest part for you?

I’ll call tomorrow.

You must really be hurting.

It isn’t fair, is it?

You must really feel angry.

Take all the time you need.

What Not to Say

I understand how you feel.

Death was a blessing.

It was God’s will.

It all happened for the best.

You’re still young.

You have your whole life ahead of you.

You can have other children.

You can always remarry.

Call me when I can help.

Something good will come of this.

At least you have another child.

She/he led a full life.

It’s time to put it behind you.

Be strong!

Courtesy, Archdiocese of Omaha, Family Life Office

Grief: Suggestions for Finding a Support Group or Therapist

Receiving support from others who have experienced a loss along with receiving professional support can help us cope with a loss. It may seem a daunting task to find the appropriate support group or therapist. Many local religious leaders or places of worship, hospitals, treatment centers, hospices, and funeral homes have lists of support groups. Even if you or your loved one was not a patient or client of these organizations most are open to community members and are willing to assist you with identifying support options.

Most types of loss have specific web sites (ex: Suicide, Miscarriage, Substance Use); these sites often have helpful suggestions for support groups, agencies, and networks. Ask friends, family or peers who are also experiencing the same loss for recommendations of groups or therapists.

Another way to identify therapists in your area is to contact your health care provider (doctor/clinic) or health insurance provider (ex: Blue Cross Blue Shield, BCN, HAP, Medicaid HMO, etc. often have mental health services numbers on the back of their cards). Under the Affordable Care Act insurance companies are required to cover mental health services. However, the number and type of visits covered will vary by plan. Contact your plan for more information.

In the Ann Arbor area there are several community agencies and groups that may be able to assist you with finding a group or therapist, below are a few of these agencies:

Washtenaw County Mental Health: 734-544-3050 or 1-800-440-7548 (24 hours)

St. Joseph's Mercy Behavioral Health: 734-786-2301 or 1-800-289-0014

University of Michigan Health System Psychiatry: 734-764-0231 or 1-800-525-5188

Ann Arbor Area Therapeutic Resources:

<http://www.therapeuticresources.com/supportmichigan.html>

Arbor Hospice: <http://www.arborhospice.org/we-can-help/grief-support-services>

Community Support and Treatment Services:

http://www.ewashtenaw.org/government/departments/community_mental_health/

Ele's Place: <http://www.elesplace.org/> - Children Groups & Support

Grief Net:

<http://griefnet.org/support/groups.html> - Adult Groups

<http://kidsaid.com/> - Children's Groups

Michigan Mental Health Networker, Washtenaw County

http://www.mhweb.org/washtenaw/selfhelp_index.html

http://www.mhweb.org/washtenaw/therapist_indx.html

ACA information: <https://www.healthcare.gov/do-marketplace-insurance-plans-cover-mental-health-and-substance-abuse-services/>

Children & Grief

Children's experience of loss and grief can differ from an adult's experience. Knowing how a child's developmental stage affects his/her understanding of and ability to cope with loss is important. This knowledge will help you provide the most meaningful and effective support to your child. Speaking with your child's health care provider regarding his/her response to loss can be a helpful place to start. Pediatricians can assess whether a child's response is normal or if professional support/counseling is needed. Additionally, it can be beneficial to involve the school counselor or social worker; they can also assess for coping and identify support/counseling resources. Below is a list of resources for helping adults to better understand children's grief, and options for how to support children through the grieving process.

American Academy of Child and Adolescent Psychiatry

https://www.aacap.org/AACAP/Families_and_Youth/Facts_for_Families/FFF-Guide/Children-And-Grief-008.aspx

Arbor Hospice

<http://www.arborhospice.org/we-can-help/grief-support-services/helping-children-process-grief-through-art>

Barr-Harris Children's Grief Center

<http://www.barrharris.org/>

The Center for Grieving Children, Teens, and Families

<http://grievingchildren.org/>

The Children's Room

<http://childrensroom.org/>

Ele's Place

<http://www.elesplace.org/>

The Dougy Center

<http://www.dougy.org/grief-resources/how-to-help-a-grieving-child/>

Hospice Net

<http://www.hospicenet.org/html/child.html>

Michigan Mental Health Networker, Washtenaw County Child & Adolescent Services

http://www.mhweb.org/washtenaw/child_index.html

Additional Grief and Loss Resources

WEB:

Al-Anon Family Groups District 5: <http://www.afgdistrict5.org/>

Compassion Books: <http://www.compassionbooks.com/store/>

American Society of Suicidology: <http://www.suicidology.org/>

Center for Loss and Life Transition: <http://www.centerforloss.com/>

Compassionate Friends: Supporting a Family after a Child Dies:
<http://www.compassionatefriends.org/>

Crisis, Grief & Healing: <http://www.webhealing.com/>

Griefnet: <http://www.griefnet.org/>

Hospice Net: <http://www.hospicenet.org/>

“Denial to Acceptance: The Stages of Grief in Addiction and Recovery”
<http://www.addictiontreatmentmagazine.com/recovery/recovery-tips/denial-to-acceptance-the-stages-of-grief-in-addiction-and-recovery/>

BOOKS:

Rudman, M.K., Gagne K. D., Bernstein, J.E., Books to Help a Child Cope with Separation and Loss: An Annotated Bibliography 4th ed., 1994.

Fitzgerald, Helen, The Grieving Child, 1992.

Jarratt, C.J., Helping Children Cope with Separation and Loss, Revised Edition, 1994.

Worden, J. William, Grief Counseling & Grief Therapy, 2008.

Viorst, Judith, Necessary Losses, 2002.

Lynn, J. and Harrold, J., Handbook for Mortals: Guidance for People Facing Serious Illness, 1999

Abbot, A., Alcohol, Tobacco, and Other Drugs. NASW, 2010.